References:

1. A Kotwal. et.al.,(2005).," Correlates of tobacco-use pattern amongst adolescents in two schools of New Delhi, India" Indian J Med science., Volume : 59 , Issue : 6 , Page : 243-252.
2. AR Dongre, , et.al., (2008)., "Tobacco consumption among adolescents in rural Wardha: Where and how tobacco control should focus its attention", Indian Journal of Cancer, Volume : 45, Issue : 3 Page : 100-106.
3. C L Backinger et.al.,(2003)., "Adolescent and young adult tobacco prevention and cessation: current status and future directions".Tob control,Volume 12(4).
4. Charu Mathur, PhD, MPH, MBBS , et.al.,(2006).," Differences in Prevalence of Tobacco Use Among Indian Urban Youth: The Role of Socioeconomic Status", Oxford journals Mdicine & Health Nicotine & Tobacco Research Volume 10., Issue 1., Pp. 109-116.
5. Dr. Kasturi Sundar Rao, (2004) "an introduction to community health nursing", 4th Edition, B.I Publication Pvt. Ltd, Pp: 563.
6. Dr. Kulkarni (2005), " text book of community medicine" , 2nd Edition, Vora publications, Mumbai. Pp: 663
7. Foulds J et.al.,(2003).," Effect of smokeless tobacco (snus) on smoking and public health in Sweden" .,Tob Control ,volume 12.(4). Pp 349-59.
8. India Global Youth Tobacco Survey (GYTS) (2009) ., National Tobacco Control Cell Ministry of Health and Family Welfare Government of India 2012 .,page no -3
9. Keshave Swarnkar,(2004) "COMMUNITY HEALTH NURSING" 1st Edition, N.R Brothers Publishers. Pp: 579
10. Kjell Asplund MD et.al.,(2003).," Smokeless Tobacco as a Possible Risk Factor for Stroke in Men A Nested Case-Control Study
11. Mahalakshmi T., (2015) "Knowledge on Harmful Effects of Tobacco Abuse among School going Adolescents at Rural Areas of Tiruvallur

District of India"., International Journal of Interdisciplinary and Multidisciplinary Studies (IJIMS), Vol 2, No.8,39-41.

12. Melissa H .Stigler, PhD, MPH ,et.al.,(2006).," Change in Tobacco Use Over Time in Urban Indian Youth The Moderating Role of Socioeconomic Status" Oxford journals medicine & Health Nicotine & tobacco research. Volume (10),Issue 3.
13. Mohan.D,chopra.A,sethi.H.The co-occurance of tobacco and alcohol in general population of metropolis Delhi, India. Indian journal of medical research 2002;150-154.
14. Monika Arora.,et.al.,(2012).," Tobacco use in Bollywood movies, tobacco promotional activities and their association with tobacco use among Indian adolescents",Tob Control ;volume 21,Issue 5.,Pp 482-487.
15. Park K.,(2005) Park's textbook of preventive and social medicine. . Banarsidas Bhanot Publishers; Jabalpur: 18th edition.Pp496
16. Polit and Hungler, Nursing Research principles and Methods, Philadelphia J.P. "LIPPINCOTT COMMUNITY PUBLIHSERS" 1999.
17. Pradnya Santosh Kadam , Avinash H. Salunkhe (2013)., A Study to Evaluate the Effectiveness of Self Instructional Module on Oral Health Hazards among Smokeless Tobacco Users in Selected Rural Area of Karad Taluka., International Journal of Science and Research (IJSR) Value (2013): 6.14 .Page No 1438-1442.
18. Pradnya Santosh Kadam Msc.(N)., (2013)., "A Study to Evaluate the Effectiveness of Self Instructional Module on Oral Health Hazards among Smokeless Tobacco Users in Selected Rural Area of Karad Taluka", International Journal of Science and Research (IJSR)., Volume 4,Issue 2.
19. Pranil Man Singh Pradhan., et.al.,(2013).," Tobacco use and associated factors among adolescent students in Dharan, Eastern Nepal: a cross-sectional questionnaire survey", *BMJ.,* Volume 3 ,Issue 2.
20. Rahul Sharma.,et.al.,(2010).," Tobacco use among adolescent students and the influence of role models" Indian J Med science., Volume 35,Issue 2,Pp 272-75.

21. S. Awasthi,et.al(2010)., correlates of tobacco use among male adolescents in schools of haldwani, nainital., Health and Population: Perspectives and Issues Vol. 33 (1), Pp42-49.
22. Sridhar Rao,(2005) "principles of community medicine",3rdEdition. A.L.T.T.B.S New Delhi. Pp: 378
23. Thekdi.K Pet.al.,(2006).," A study on the prevalence of use of tobacco amongst school going children (11 to 15 years age group) of Surendranagar.Healthline ,Journal of indian Association of preventive and social medicine,Volume. 4 No. 1, pp. 43-49.
24. World Health Organization. Adolescent friendly health services: an agenda for change. 2002 Geneva: WHO;
25. World Health Organization. What about boys: A literature review on the health and development of adolescent boys. 2002 Geneva.
26. Tatiana Andreeva, Yaroslav Gerashchenko. Does knowledge about the health hazards of tobacco predetermine the intention to quit smoking?. Kyiv-Mohyla Journal,May 2010, Vol 202 (20); 2011-2021.
27. Centers for Disease Control and Prevention (CDC) (2009)., Cigarette smoking among adults and trends in smoking cessation. MMWR Morb Mortal Wkly Rep. 13;58(44):1227-32.
28. Chen PL, Huang WG, Chao KY. Factors associated with Taiwanese junior high school personnel advising students to quit smoking. J Sch Health. 2011 Feb;81(2):91-9.
29. Shivashankar R et.al (2015) A cross-sectional study of the prevalence and correlates of tobacco use in Chennai.BMC Public Health. 2015 May 11;15:483
30. Verma A .etr.al (2015),Exploring effective tobacco prevention programme for indian adolescents. Public Health 129(1):23-8.
31. Susan G. Millstein, et.al.,(march 1992).,"health-risk behaviors and health concerns among young adolescents" American Academy of Pediatrics, volume 89 / issue 3.

32. Prakash C. et.al.,(July 2000).," Cohort study of all-cause mortality among tobacco users in Mumbai, India" Bulletin of the world Health Organization., volume78 Issue 7.
33. Gary E. Swan , et.al., (September 2007)., "The Effects of Tobacco Smoke and Nicotine on Cognition and the Brain", Volume 17, Issue 3., pp 259-273.
34. Jennifer M Kreslake., et.al., (September 2007)., Tobacco Industry Control of Menthol in Cigarettes and Targeting of Adolescents and Young Adults", Am J Public Health. 2008 September; 98(9): 1685–1692
35. Aamnah Karamat,et.al (March 2009,) . Health Professionals role on tobacco control.journal of public health. volume 32(7); 567-79.
36. Sellappa sudha (September 2009)., "Mixture of betal leaf ,Areca nut and tobacco chewing is a risk factor for cyto genic damage in construction workers from south india. Braz J Oral Science ., Volume 8 Issues 3 Pp-145 -148.
37. Jayakrishnan R et.al (March 2011)., "Self reported tobacco use knowledge on legislation and tobacco habits among adolescents in rural karela state" Indian Journal dentistry., Volume 22 .,Issues 2., Pp-195-199
38. Devanand Gupta .et.al (September, 2014), Tobacco Abuse Amongst the School Going Students of 15 to 18 Years of Almora District, Uttarakhand: A Cross Sectional Study. OHDM - Vol. 13 - No. 3 ,Page No 680-686.
39. Ailsa J Mckay et.al., (april 2015)., Strategies for Tobacco Control in India: A Systematic Review .Plos one 2015 ;10(4) e 0122610.
40. Times of india ., news Paper ,Published on 04,February 2016.